



## 2015 Annual Report

---

During 2015 the Chatham Volunteer Fire Department responded to 311 calls for assistance, down 46 calls from 2014's total of 357, representing a 13% decrease in calls. 26 of these calls represented fire incidents, either in Chatham Borough or in one of the mutual aid communities of Chatham Township, Green Village, Madison, Harding Township, Florham Park, New Providence or Morris Township, that the Chatham Borough Volunteer Fire Department assists on a regular basis. Of the 26 fire incidents, which represents a decrease of 16% from 2014, 12 were Structure Fire incidents. Only 6 of these Structure Fire calls were in Chatham Borough and none resulted in a large monetary loss.

In addition, the department responded to 2 Overpressure Incidents, 32 Rescue Calls, 37 Hazardous Condition Incidents, 19 Service Calls, 54 Good Intent Calls and 140 False Alarm Calls. False Alarm calls represented 45% of the total calls the Fire Department Responded to in 2015.

Members of the Chatham Borough Fire Department contributed a total of 5,757.9 man hours of service to the community in 2015. Incident responses accounted for 1,198.4 man hours, while the remaining 4,559.5 hours were logged for meetings, training, work details, fire prevention activities, driver training, fire duties and other activities that facilitate the programs sponsored by the department throughout the year. Compared to last year, total hours volunteered increased by 1,176.4 hours or a 25.7% increase in hours volunteered.

The Chatham Borough Fire Department is comprised of seven companies; Engine 1, Engine 2, Hose Co., Hook and Ladder Co, Rescue Co. No. 1, Wardens Co. and the new Junior Company. Each of the department's members are assigned to one of these seven companies. During 2015, one probationary and one full member resigned due to work commitments that precluded them from participating in department activities.

Five Probationary Members and one Junior Firefighter joined the department during 2015. Last year was the inaugural year of the department's Junior Firefighter Company. The Junior Company is formed exclusively for the purpose of providing initial firefighting and emergency training to young persons between the ages of sixteen (16) and eighteen (18) years of age who are interested in seeking membership in the Chatham Borough Volunteer Fire Department.

The Junior Company may also be tasked from time to time, and as directed by the Fire Chief, to assist the Fire Department in training and in the maintenance of its apparatus, equipment and

buildings, and to participate in its fire prevention and other civic activities. In addition, and at the discretion of the Fire Chief, the Junior Company may be requested to assist in performing non-hazardous support functions. The department now consists of fifty-two full members, seven probationary members and one junior member.

In January, the Command structure of the Fire Department was changed and now consists of two Deputy Fire Chiefs, one Battalion Chief and two Captains. The most significant change in this process was the addition of two Captains to the command structure of the department. In the past each company had a Captain and Lieutenant and these twelve officers served as “Company Officers”. With the implementation of this new structure, the six remaining Lieutenants serve as “Company Officers”.

Monthly training drills are comprised of two, two-hour drills per month totaling 48 hours of structured in-house firefighting training. A structured training drill at the Middlesex County Police and Fire Academy was held during 2015 and individual firefighters undertook training at the Morris County Police and Fire Academy. Lastly, weekly two-hour driver training sessions were held for members wishing to learn how to operate the department’s trucks.

This year, the department’s Fire Prevention activities included visits to the Fire House by each of the elementary and nursery schools, where members of the department showed a Fire Prevention video, answered questions and demonstrated equipment in an effort to acquaint young children with firefighters and their equipment. The department’s Annual Fire Prevention – Open House was held on October 10th.

The Fire Department Association held its Annual Fishing Derby at Kelley’s Pond the last weekend in April, celebrating the Fishing Derby’s Fiftieth Anniversary. Members of the Fire Department assisted our Color Guard and took part in Chatham Borough’s Memorial Day Celebration at Memorial Park. This past July 4<sup>th</sup>, as in the past 61 years, the Chatham Fire Department Association hosted the Chatham Independence Day Celebration. Festivities began at 8am with salutes fired to signify the start of the day’s activities which included; the Fire Department Inspection by the Mayor and Council, the Fourth of July Parade, and Fireworks that topped off a memorable day celebrating our Country’s independence. On December 24<sup>th</sup> the Department’s North Pole Express, also known as Engine 3, the departments Pierce Pumper, brought Santa Claus to Chatham’s Reasoner Park where Santa greeted Chatham’s young residents at the gazebo.

In closing, the time, talent and energy of the members of the Chatham Borough Fire Department should be recognized and gratefully acknowledged for their selfless dedication to the Borough of Chatham.

Respectfully submitted.

Douglas G. Allan  
Chief of the Department  
Chatham Borough Volunteer Fire Department

**Incident Types (NFIRS)**

<u>Incident Type Group</u>	<u># Inc.</u>	<u>% of Total</u>
10-Fire, other	4	1.3%
11-Structure Fire	12	3.9%
12-Fire in mobile property used as a fixed structure	0	0%
13-Mobile property (vehicle) fire	2	0.6%
14-Natural vegetation fire	6	1.9%
15-Outside rubbish fire	1	0.3%
16-Special outside fire	1	0.3%
17-Cultivated vegetation, crop fire	0	0%
20-Overpressure rupture, explosion, overheating, other	0	0%
21-Overpressure rupture from steam (no ensuing fire)	1	0.3%
22-Overpressure rupture from air or gas (no fire)	0	0%
23-Overpressure rupture, chemical reaction (no fire)	0	0%
24-Explosion (no fire)	1	0.3%
25-Excessive heat, scorch burns with no ignition	0	0%
30-Rescue, emergency medical call (EMS), other	0	0%
31-Medical assist	0	0%
32-Emergency medical service (EMS) Incident	29	9.3%
33-Lock-In	0	0%
34-Search for lost person	0	0%
35-Extrication, rescue	3	1.0%
36-Water or ice-related rescue	0	0%
37-Electrical rescue	0	0%
38-Rescue or EMS standby	0	0%
40-Hazardous condition, other	1	0.3%
41-Combustible/flammable spills & leaks	17	5.5%
42-Chemical release, reaction, or toxic condition	0	0%
43-Radioactive condition	0	0%
44-Electrical wiring/equipment problem	9	2.9%
45-Biological hazard	1	0.3%
46-Accident, potential accident	9	2.9%
47-Explosive, bomb removal	0	0%
48-Attempted burning, illegal action	0	0%
50-Service call, other	4	1.3%
51-Person in distress	0	0%
52-Water problem	6	1.9%
53-Smoke, odor problem	3	1.0%
54-Animal problem or rescue	1	0.3%
55-Public service assistance	4	1.3%
56-Unauthorized burning	1	0.3%
57-Cover assignment, standby at fire station, move-up	0	0%
60-Good intent call, other	21	6.8%
61-Dispatched and canceled en route	2	0.6%
62-Wrong location, no emergency found	3	1.0%
63-Controlled burning	0	0%
64-Vicinity alarm	0	0%
65-Steam, other gas mistaken for smoke	14	4.5%
66-EMS call where party has been transported	0	0%
67-HazMat release investigation w/no HazMat	14	4.5%
70-False alarm and false call, other	1	0.3%
71-Malicious, mischievous false alarm	1	0.3%
72-Bomb scare	0	0%
73-System or detector malfunction	66	21.2%
74-Unintentional system/detector operation (no fire)	72	23.2%
75-Biohazard scare	0	0%
80-Severe weather or natural disaster, other	0	0%

Chatham Office of Code Enforcement  
 Activity Report  
 This year: 01/01/2015 to 12/31/2015  
 Printed: 02/24/2016 Page: 2

<u>Incident Type Group</u>	<u># Inc.</u>	<u>% of Total</u>
81-Severe weather or natural disaster	1	0.3%
90-Special type of incident, other	0	0%
91-Citizen complaint	0	0%
	<u>311</u>	<u>100.0%</u>

**Report Types**

<u>Incident Type Group</u>	<u>#Inc.</u>	<u>#Pers.</u>	<u>#Hrs in Svc</u>	<u>#Man Hrs</u>
D-Drill	36	478	95.8	1070.9
E-Driver Training	33	166	50.1	265.8
F-Fire Duty	12	103	37.9	462.6
G-Fire Prevention	17	57	32.7	141.4
M-Meeting	22	478	34.8	571.9
N-NFIRS	311	2502	145.8	1198.3
O-Other (not NFIRS)	116	430	278.9	1611.6
R-Rig Check	6	18	5.5	21.0
S-Special Assignment	1	9	1.3	11.3
W-Work Detail	<u>23</u>	<u>250</u>	<u>41.7</u>	<u>403.2</u>
	577	4491	724.5	5757.9

**Reports by Category**

<u>Incident Type Group</u>	<u>#Inc.</u>	<u>#Pers.</u>	<u>#Hrs in Svc</u>	<u>#Man Hrs</u>
1-Fire	26	244	18.5	185.8
2-Overpressure Rupture, Explosion...	2	13	1.6	10.7
3-Rescue & Emergency Medical S...	32	273	14.9	139.0
4-Hazardous Condition (No Fire)	37	294	27.6	216.7
5-Service Call	19	160	12.2	90.1
6-Good Intent Call	54	456	20.3	172.0
7-False Alarm & False Call	140	1057	50.8	384.1
8-Severe Weather & Natural Disast...	1	5	0.0	0.0
9-Special Incident Type	0	0	0	0
D-Drill	36	478	95.8	1070.9
E-Driver Training	33	166	50.1	265.8
F-Fire Duty	12	103	37.9	462.6
G-Fire Prevention	17	57	32.7	141.4
M-Meeting	22	478	34.8	571.9
O-Other (not NFIRS)	116	430	278.9	1611.6
R-Rig Check	6	18	5.5	21.0
S-Special Assignment	1	9	1.3	11.3
W-Work Detail	<u>23</u>	<u>250</u>	<u>41.7</u>	<u>403.2</u>
	577	4491	724.5	5757.9

**Causes of Ignition (NFIRS)**

<u>Cause of Ignition</u>	<u># Inc.</u>	<u>% of Total</u>
Intentional	0	0%
Unintentional	10	100.0%
Failure of equipment or heat source	0	0%
Act of nature	0	0%
Cause under investigation	0	0%
Cause undetermined after investigation	<u>0</u>	<u>0%</u>
	10	100.0%

**Losses (NFIRS)**

<u>Total Losses</u>	<u># Inc.</u>	<u>% of Total</u>
None	304	97.7%
1 to 9	0	0%
1 billion and up	0	0%
10 to 99	0	0%
100 to 999	2	0.6%
1000 to 9999	3	1.0%
10000 to 99999	2	0.6%
100000 to 999999	0	0%
1 to 9.9 million	0	0%
10 to 99.9 million	0	0%
100 to 999.9 million	0	0%
	<u>311</u>	<u>100.0%</u>

**Aid Given or Received (NFIRS)**

<u>Aid Given or Received</u>	<u># Inc.</u>	<u>% of Total</u>
Mutual aid received	5	1.6%
Automatic aid received	1	0.3%
Mutual aid given	12	3.9%
Automatic aid given	13	4.2%
Other aid given	0	0%
None	<u>280</u>	<u>90.0%</u>
	<u>311</u>	<u>100.0%</u>

**Mutual Aid Agencies Used (NFIRS)**

<u>Station/Agency Giving Aid</u>	<u># Responses</u>
1-New Vernon	0
10-Morristown Fire Dept	0
11-Millburn Fire Dept	0
12-Maplewood Fire Dept	0
13-Livingston Fire Dept	0
14-Basking Ridge Fire Dept	0
15-Bernardsville Fire Dept	0
16-New Providence Fire Dept	0
2-Chatham Township	4
3-Madison Fire dept	3
4-Summit Fire Department	1
5-Florham Park	2
6-East Hanover Fire Dept	0
7-Morris Twp Fire Dept	0
8-Morris Plains Fire Dept	0
	<u>10</u>

**Other Districts Responded To (NFIRS)**

<u>FDID Receiving Mutual Aid</u>	<u># Inc.</u>	<u>% of Total</u>
01405-Chatham Township	16	5.1%
01413-New Vernon	2	0.6%
01417-Madison Fire dept	1	0.3%
02018-Summit Fire Department	0	0%
07100-Livingston Fire Dept	0	0%
07110-Maplewood Fire Dept	0	0%
07120-Millburn Fire Dept	1	0.3%
14041-Green Village Fire Department	0	0%
14100-East Hanover Fire Dept	0	0%
14110-Florham Park	0	0%
14122-Cedar Knolls	1	0.3%
14220-Morris Twp Fire Dept	1	0.3%
14230-Morris Plains Fire Dept	0	0%
14240-Morristown Fire Dept	0	0%
14300-Millington Fire	2	0.6%
18020-Basking Ridge Fire Dept	0	0%
18030-Bernardsville Fire Dept	0	0%
20011-New Providence Fire Dept	1	0.3%
	<u>311</u>	<u>100.0%</u>

**Calls by Day of Week (NFIRS)**

	<u>Calls</u>	<u>Avg Apparatus/Call</u>	<u>Avg Personnel/Call</u>
Sunday	47	2.9	9.1
Monday	44	2.9	7.9
Tuesday	51	2.9	8.6
Wednesday	34	2.5	7.5
Thursday	51	2.6	6.9
Friday	39	2.7	7.6
Saturday	35	3.1	8.7

**Calls by Time of Day (NFIRS)**

	<u>Calls</u>	<u>Avg Apparatus/Call</u>	<u>Avg Personnel/Call</u>
00:00-00:59	3	2.3	4.7
01:00-01:59	6	2.8	7.7
02:00-02:59	6	2.7	5.8
03:00-03:59	2	2.5	6.5
04:00-04:59	1	2.0	9.0
05:00-05:59	6	2.5	6.8
06:00-06:59	10	2.4	6.0
07:00-07:59	11	2.8	7.2
08:00-08:59	22	2.7	7.0
09:00-09:59	18	2.3	6.8
10:00-10:59	22	2.5	7.5
11:00-11:59	13	3.0	8.1
12:00-12:59	20	2.7	6.8
13:00-13:59	15	2.8	8.0
14:00-14:59	15	2.9	8.7
15:00-15:59	16	2.6	8.3
16:00-16:59	24	2.9	8.5
17:00-17:59	24	3.2	10.1
18:00-18:59	16	3.3	10.4
19:00-19:59	13	3.5	9.8
20:00-20:59	14	3.1	9.9
21:00-21:59	11	2.9	9.0
22:00-22:59	16	2.7	6.8
23:00-23:59	7	3.1	8.0



Chatham Office of Code Enforcement  
 Activity  
 This year: 01/01/2015 to 12/31/2015  
 Printed: 02/24/2016 Page: 1

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
1/2/2015 5:30:00 PM	1	Fire House	Chatham Borough	F: Fire Duty
1/3/2015 9:00:00 AM	1	Fire House	Chatham Borough	F: Fire Duty
1/3/2015 10:10:00 AM	1	Fire House	Chatham Borough	E: Driver Training
1/4/2015 10:15:00 AM	1	Fire House	Chatham Borough	R: Rig Check
1/5/2015 3:51:00 AM	5	John	Chatham Borough	733: Smoke detector activation due to malfunction
1/5/2015 8:30:00 PM	1	Fire House	Chatham Borough	M: Meeting
1/5/2015 9:10:00 PM	54	Murry Hill	New Providence	551: Assist police or other governmental agency
1/6/2015 5:21:00 PM	162	Watchung Av	Chatham Borough	736: CO detector activation due to malfunction
1/7/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
1/8/2015 8:28:00 AM	459	Main	Chatham	600: Good intent call, other
1/10/2015 2:18:00 PM	54	Fairmount	Chatham	734: Heat detector activation due to malfunction
1/11/2015 11:25:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
1/12/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
1/13/2015 5:52:00 PM	11	Elm	Chatham Borough	651: Smoke scare, odor of smoke
1/13/2015 7:51:00 PM	38	Garden Av	Chatham Borough	114: Chimney or flue fire, confined to chimney or flue
1/14/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
1/15/2015 6:56:00 PM	39	Kings	Chatham Borough	460: Accident, potential accident, other
1/16/2015 8:39:00 AM	102	Washington	Chatham	745: Alarm system activation, no fire - unintentional
1/16/2015 10:00:00 AM	1	Fire House	Chatham Borough	F: Fire Duty
1/16/2015 11:51:00 AM	43	Fuller Av	Chatham Borough	743: Smoke detector activation, no fire - unintentional
1/16/2015 2:14:00 PM	27	Inwood	Chatham Borough	531: Smoke or odor removal
1/16/2015 7:00:00 PM	500	West Hanover	Parsippany	O: Other (not NFIRS)
1/17/2015 7:30:00 AM	500	West Hanover	Parsippany	O: Other (not NFIRS)
1/18/2015 9:35:00 AM	1	Fire House	Chatham Borough	W: Work Detail
1/18/2015 1:26:00 PM	17	Woodland	Chatham Borough	736: CO detector activation due to malfunction
1/18/2015 5:43:00 PM	5	Center	Chatham	743: Smoke detector activation, no fire - unintentional
1/19/2015 9:33:00 AM	354	Main	Chatham	500: Service Call, other
1/19/2015 12:29:00 PM	261	Main	Chatham	521: Water evacuation
1/19/2015 6:30:00 PM	1	Fire House	Chatham Borough	D: Drill
1/20/2015 7:57:00 AM	6/6	Rt 24	Chatham Borough	321: EMS call, excluding vehicle accident with injury
1/21/2015 6:30:00 PM	1	Fire House	Chatham Borough	D: Drill
1/23/2015 9:19:00 AM	12	Edgehill Av	Chatham Borough	733: Smoke detector activation due to malfunction
1/25/2015 9:10:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
1/25/2015 12:30:00 PM	1	Fire House	Chatham Borough	W: Work Detail
1/26/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
1/27/2015 8:00:00 AM	1	Fire House	Chatham Borough	W: Work Detail
1/29/2015 2:34:00 PM	3	Kimball	Chatham Borough	412: Gas leak (natural gas or LPG)
1/30/2015 7:30:00 AM	1	Fire House	Chatham Borough	M: Meeting
1/31/2015 8:44:00 AM	179	Washington Av	Chatham Borough	735: Alarm system sounded due to malfunction
1/31/2015 2:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
2/1/2015 11:00:00 AM	1	Fire House	Chatham Borough	W: Work Detail
2/1/2015 5:14:00 PM	34	River	Chatham	113: Cooking fire, confined to container
2/1/2015 9:09:00 PM	25	Meadowbrook	Chatham Borough	744: Detector activation, no fire - unintentional
2/1/2015 9:30:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
2/2/2015 3:54:00 PM	94	Fairmount	Chatham	651: Smoke scare, odor of smoke
2/2/2015 8:00:00 PM	1	Fire House	Chatham Borough	M: Meeting
2/3/2015 9:51:00 AM	24	Jackson Av	Chatham Borough	746: Carbon monoxide detector activation, no CO
2/4/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
2/5/2015 10:44:00 AM	30	Hillside Av	Chatham Borough	651: Smoke scare, odor of smoke
2/7/2015 9:00:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
2/7/2015 6:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
2/8/2015 12:45:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
2/9/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
2/11/2015 8:12:00 AM	114	Lafayette Av	Chatham Borough	600: Good intent call, other
2/11/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training

Chatham Office of Code Enforcement  
Activity  
This year: 01/01/2015 to 12/31/2015  
Printed: 02/24/2016 Page: 2

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
2/12/2015 6:09:00 PM		Watchung Av	Chatham Borough	322: Motor vehicle accident with injuries
2/13/2015 1:04:00 PM	12	Orchard	Chatham Borough	736: CO detector activation due to malfunction
2/14/2015 6:29:00 AM	12	Charles	Chatham Borough	736: CO detector activation due to malfunction
2/14/2015 11:20:00 AM	6/1	Rt 24 West	Chatham Borough	600: Good intent call, other
2/15/2015 4:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
2/16/2015 2:21:00 AM	25	Rowan	Chatham Borough	733: Smoke detector activation due to malfunction
2/16/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
2/17/2015 10:08:00 AM	686	Fairmount Av	Chatham Township	212: Overpressure rupture of steam boiler
2/17/2015 4:50:00 PM	41	Watchung	Chatham	731: Sprinkler activation due to malfunction
2/18/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
2/20/2015 6:17:00 AM	121	Summit Av	Chatham Borough	745: Alarm system activation, no fire - unintentional
2/20/2015 5:40:00 PM	28	Elmwood Av	Chatham Borough	736: CO detector activation due to malfunction
2/21/2015 10:25:00 AM		Main St	Chatham Borough	463: Vehicle accident, general cleanup
2/22/2015 12:06:00 PM	11	Myrtle Av	Chatham Borough	746: Carbon monoxide detector activation, no CO
2/22/2015 8:45:00 PM	1	Fire House	Chatham Borough	F: Fire Duty
2/23/2015 12:59:00 PM	82	Orchard	Chatham Borough	600: Good intent call, other
2/23/2015 1:19:00 PM	10	Commerce	Chatham	733: Smoke detector activation due to malfunction
2/23/2015 3:15:00 PM	641	Shunpike	Chatham Borough	100: Fire, other
2/23/2015 11:51:00 PM	11	Roosevelt	Chatham	743: Smoke detector activation, no fire - unintentional
2/24/2015 8:07:00 AM	9	Amherst	Chatham Borough	650: Steam, other gas mistaken for smoke, other
2/24/2015 5:33:00 PM	38	Southern	Chatham Township	611: Dispatched & canceled en route
2/24/2015 6:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
2/25/2015 6:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
2/25/2015 6:30:00 PM	1	Fire House	Chatham Borough	D: Drill
2/26/2015 9:09:00 PM	8	Girard Av	Chatham Borough	733: Smoke detector activation due to malfunction
2/26/2015 11:27:00 PM	8	Girard Av	Chatham Borough	733: Smoke detector activation due to malfunction
2/27/2015 12:53:00 PM	100	Hillside Av	Chatham Borough	736: CO detector activation due to malfunction
3/1/2015 8:25:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/1/2015 4:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/2/2015 4:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/3/2015 8:30:00 AM	75	Orchard	Chatham Borough	600: Good intent call, other
3/3/2015 3:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/3/2015 5:18:00 PM	49	Lafayette Av	Chatham Borough	730: System malfunction, other
3/3/2015 8:00:00 PM	1	Fire House	Chatham Borough	M: Meeting
3/4/2015 3:45:00 PM	471	Main	Chatham	735: Alarm system sounded due to malfunction
3/5/2015 10:00:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/5/2015 2:38:00 PM	269	Main	Chatham	412: Gas leak (natural gas or LPG)
3/5/2015 3:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/6/2015 8:52:00 PM	236	Main	Chatham	744: Detector activation, no fire - unintentional
3/7/2015 9:15:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/7/2015 12:20:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/7/2015 1:57:00 PM	49	Lake	Harding Twp.	111: Building fire
3/7/2015 11:17:00 PM	225	Main	Chatham	113: Cooking fire, confined to container
3/8/2015 11:44:00 AM	102	Washington Av	Chatham Borough	440: Electrical wiring/equipment problem, other
3/8/2015 4:14:00 PM	24	Kings	Chatham Borough	412: Gas leak (natural gas or LPG)
3/9/2015 9:30:00 AM	1	Fire House	Chatham Borough	W: Work Detail
3/9/2015 7:00:00 PM	50	Washington	Chatham Borough	D: Drill
3/9/2015 10:32:00 PM	338	Main	Chatham Borough	740: Unintentional transmission of alarm, other
3/10/2015 10:00:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/10/2015 3:35:00 PM	231	Main	Chatham	520: Water problem, other
3/11/2015 12:22:00 PM	7	Rowan	Chatham Borough	735: Alarm system sounded due to malfunction
3/11/2015 7:00:00 PM	1	Fire House	Chatham Borough	W: Work Detail
3/11/2015 8:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
3/12/2015 10:00:00 AM	1	Fire House	Chatham Borough	W: Work Detail
3/12/2015 4:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)

Chatham Office of Code Enforcement  
Activity  
This year: 01/01/2015 to 12/31/2015  
Printed: 02/24/2016 Page: 3

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
3/12/2015 5:12:00 PM	85	Kings	Chatham Borough	520: Water problem, other
3/13/2015 11:00:00 AM	1	Fire House	Chatham Borough	G: Fire Prevention
3/14/2015 7:19:00 AM		Fairmount	Chatham Borough	412: Gas leak (natural gas or LPG)
3/14/2015 2:45:00 PM	214	Main	Chatham	353: Removal of victim(s) from stalled elevator
3/15/2015 12:12:00 PM		Main	Chatham Borough	412: Gas leak (natural gas or LPG)
3/16/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
3/17/2015 8:30:00 AM	74	VanDoren	Chatham Borough	324: Motor vehicle accident with no injuries
3/17/2015 9:20:00 AM	480	Main	Chatham	412: Gas leak (natural gas or LPG)
3/18/2015 2:38:00 PM	6	Vine	Chatham Borough	671: HazMat release investigation w/no HazMat
3/18/2015 4:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/18/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
3/21/2015 1:28:00 AM	29	Kimball	Chatham Borough	440: Electrical wiring/equipment problem, other
3/21/2015 8:30:00 AM	1	Fire House	Chatham Borough	W: Work Detail
3/21/2015 9:55:00 AM		Main	Chatham Borough	611: Dispatched & canceled en route
3/21/2015 10:52:00 AM	19	Passaic	Chatham	622: No incident found on arrival at dispatch address
3/22/2015 10:00:00 AM	12	Coleman Av E	Chatham Borough	735: Alarm system sounded due to malfunction
3/22/2015 12:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
3/23/2015 2:31:00 PM	7.0	US Highway 24 West	Milburn	413: Oil or other combustible liquid spill
3/23/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
3/24/2015 8:50:00 PM	51	Fairview Av	Chatham Borough	736: CO detector activation due to malfunction
3/25/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
3/27/2015 7:30:00 PM	1	Fire House	Chatham Borough	D: Drill
3/28/2015 8:00:00 AM	1	Fire House	Chatham Borough	D: Drill
3/29/2015 7:20:00 AM	1	Bartow	Chatham Borough	733: Smoke detector activation due to malfunction
3/29/2015 4:21:00 PM		Washington Av	Chatham Borough	671: HazMat release investigation w/no HazMat
3/31/2015 5:21:00 PM	26	Heratage	Chatham Township	531: Smoke or odor removal
3/31/2015 7:30:00 PM	1	Fire House	Chatham Borough	M: Meeting
4/1/2015 9:00:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/1/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
4/4/2015 1:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
4/5/2015 4:46:00 PM	231	Main	Chatham	743: Smoke detector activation, no fire - unintentional
4/6/2015 9:43:00 AM	41-45	Dellwood Av	Chatham Borough	671: HazMat release investigation w/no HazMat
4/6/2015 8:00:00 PM	1	Fire House	Chatham Borough	M: Meeting
4/7/2015 4:55:00 PM		Main	Madison	463: Vehicle accident, general cleanup
4/8/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
4/9/2015 7:09:00 PM	27	Chatham	Chatham Borough	600: Good intent call, other
4/10/2015 10:50:00 AM	27	Charles	Chatham Borough	743: Smoke detector activation, no fire - unintentional
4/10/2015 2:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/10/2015 5:30:00 PM	500	West Hanover	Parsippany	D: Drill
4/10/2015 6:30:00 PM	1	Fire House	Chatham Borough	D: Drill
4/11/2015 7:00:00 AM	500	West Hanover	Parsippany	D: Drill
4/11/2015 5:08:00 PM	63	Tallmadge Av	Chatham Borough	100: Fire, other
4/12/2015 7:00:00 AM	500	West Hanover	Parsippany	D: Drill
4/12/2015 9:20:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/12/2015 9:32:00 AM	540	Main	Chatham	500: Service Call, other
4/12/2015 7:07:00 PM	21	Coleman Av W	Chatham Borough	744: Detector activation, no fire - unintentional
4/13/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
4/14/2015 4:32:00 PM	241	Washington Av	Chatham Borough	740: Unintentional transmission of alarm, other
4/15/2015 9:00:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/15/2015 9:01:00 AM	2	Fuller Av	Chatham Borough	142: Brush or brush-and-grass mixture fire
4/15/2015 1:35:00 PM	157	Burgess	Chatham Borough	733: Smoke detector activation due to malfunction
4/15/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
4/17/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/19/2015 1:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
4/19/2015 3:58:00 PM	50	Dunbar	Chatham Borough	445: Arcing, shorted electrical equipment

Chatham Office of Code Enforcement  
Activity  
This year: 01/01/2015 to 12/31/2015  
Printed: 02/24/2016 Page: 4

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
4/19/2015 5:10:00 PM	3	Rowan	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
4/20/2015 8:05:00 AM	15	Woods	Chatham Borough	651: Smoke scare, odor of smoke
4/20/2015 4:51:00 PM	84	Passaic	Chatham Borough	733: Smoke detector activation due to malfunction
4/20/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
4/21/2015 9:06:00 AM	460	Main	Chatham	743: Smoke detector activation, no fire - unintentiona
4/21/2015 5:11:00 PM	26	Main	Chatham Borough	324: Motor vehicle accident with no injuries
4/22/2015 7:17:00 AM	149	N. Hillside	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
4/22/2015 11:32:00 AM	45	Main	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
4/22/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
4/23/2015 6:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/23/2015 7:30:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/24/2015 1:26:00 PM	76	Washington	Chatham Borough	412: Gas leak (natural gas or LPG)
4/25/2015 8:00:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/25/2015 10:00:00 AM	1	Fire House	Chatham Borough	G: Fire Prevention
4/25/2015 10:35:00 PM	11	Garden	Chatham Borough	651: Smoke scare, odor of smoke
4/26/2015 8:00:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/26/2015 4:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
4/26/2015 5:48:00 PM	81	Coleman Av	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
4/27/2015 10:00:00 AM	1	Fire House	Chatham Borough	W: Work Detail
4/27/2015 7:30:00 PM	1	Fire House	Chatham Borough	M: Meeting
4/28/2015 11:08:00 AM		Washington Av	Chatham Borough	463: Vehicle accident, general cleanup
4/29/2015 5:39:00 PM		Main	Chatham Borough	323: Motor vehicle/pedestrian accident (MV Ped)
4/29/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
5/2/2015 10:15:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/2/2015 9:10:00 PM	3	Chestnut	Chatham Borough	736: CO detector activation due to malfunction
5/3/2015 7:15:00 PM	37	Hedges Av	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
5/3/2015 9:34:00 PM	138	Washington	Chatham Borough	445: Arcing, shorted electrical equipment
5/4/2015 11:35:00 AM	45	Main	Chatham Borough	520: Water problem, other
5/4/2015 3:52:00 PM	1890	Long	Millington	111: Building fire
5/4/2015 4:48:00 PM	10	Woods	Chatham Borough	440: Electrical wiring/equipment problem, other
5/4/2015 8:00:00 PM	1	Fire House	Chatham Borough	M: Meeting
5/5/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/6/2015 1:03:00 AM	201	Washington Av	Chatham Borough	130: Mobile property (vehicle) fire, other
5/6/2015 12:41:00 PM	7	Lindsay	Chatham Borough	736: CO detector activation due to malfunction
5/6/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
5/7/2015 8:31:00 PM		Main	Chatham Borough	323: Motor vehicle/pedestrian accident (MV Ped)
5/8/2015 12:35:00 PM	10	University Av	Chatham Borough	600: Good intent call, other
5/9/2015 8:55:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/10/2015 2:11:00 PM	15	Somerst	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
5/10/2015 2:30:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/10/2015 10:18:00 PM	21	Schindler	Chatham Borough	736: CO detector activation due to malfunction
5/12/2015 6:00:00 PM	500	West Hanover	Parsippany	O: Other (not NFIRS)
5/12/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
5/13/2015 4:57:00 PM	8	St. James	Chatham Borough	322: Motor vehicle accident with injuries
5/13/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
5/14/2015 5:40:00 AM	5	Center	Chatham	140: Natural vegetation fire, other
5/14/2015 6:00:00 PM	500	West Hanover	Parsippany	O: Other (not NFIRS)
5/15/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/16/2015 3:15:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/16/2015 10:30:00 PM	32	Oak	Chatham Borough	440: Electrical wiring/equipment problem, other
5/17/2015 8:55:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/18/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
5/19/2015 5:56:00 PM		Chatham	Chatham Borough	463: Vehicle accident, general cleanup
5/19/2015 7:00:00 PM	500	West Hanover	Parsippany	O: Other (not NFIRS)
5/20/2015 7:00:00 PM	480	Main	Chatham Borough	E: Driver Training

Chatham Office of Code Enforcement  
Activity  
This year: 01/01/2015 to 12/31/2015  
Printed: 02/24/2016 Page: 5

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
5/21/2015 7:00:00 PM	500	West Hanover	Parsippany	O: Other (not NFIRS)
5/22/2015 2:18:00 AM	31	Passaic	Chatham	744: Detector activation, no fire - unintentional
5/22/2015 3:41:00 PM	95	Pleasantville	Harding Twp.	111: Building fire
5/22/2015 4:03:00 PM	12	Milton Av	Chatham Borough	600: Good intent call, other
5/22/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/23/2015 4:19:00 PM	247	Main	Chatham	111: Building fire
5/24/2015 9:20:00 AM	245	Main	Chatham Borough	651: Smoke scare, odor of smoke
5/24/2015 10:00:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/24/2015 5:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/25/2015 7:15:00 AM	1	Fire House	Chatham Borough	F: Fire Duty
5/25/2015 5:55:00 PM	23	Rowan	Chatham Borough	600: Good intent call, other
5/26/2015 7:30:00 PM	1	Fire House	Chatham Borough	M: Meeting
5/27/2015 3:26:00 PM		Main	Chatham Borough	322: Motor vehicle accident with injuries
5/27/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
5/28/2015 7:00:00 PM	500	West Hanover	Parsippany	O: Other (not NFIRS)
5/29/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/30/2015 12:03:00 PM	393	Main	Chatham	322: Motor vehicle accident with injuries
5/30/2015 4:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
5/31/2015 9:00:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
6/1/2015 4:28:00 PM	214	Main	Chatham	743: Smoke detector activation, no fire - unintentional
6/1/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
6/1/2015 8:00:00 PM	1	Fire House	Chatham Borough	M: Meeting
6/2/2015 1:11:00 AM	33	Roosevelt Av	Chatham Borough	735: Alarm system sounded due to malfunction
6/2/2015 2:00:00 AM	33	Roosevelt Av	Chatham Borough	735: Alarm system sounded due to malfunction
6/2/2015 5:45:00 AM	59	Minton	Chatham Borough	600: Good intent call, other
6/3/2015 7:00:00 PM	1	Fire House	Chatham Borough	R: Rig Check
6/4/2015 10:36:00 AM	55	Main	Chatham Borough	322: Motor vehicle accident with injuries
6/5/2015 8:26:00 PM	24	Oak	Chatham Borough	743: Smoke detector activation, no fire - unintentional
6/6/2015 2:19:00 PM	446	Main	Chatham	743: Smoke detector activation, no fire - unintentional
6/6/2015 10:00:00 PM		Kings	Chatham Borough	622: No incident found on arrival at dispatch address
6/7/2015 4:45:00 PM	1	Fire House	Chatham Borough	R: Rig Check
6/8/2015 8:42:00 AM	158	Washington Av	Chatham Borough	671: HazMat release investigation w/no HazMat
6/8/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
6/10/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
6/11/2015 1:19:00 PM	10	Hedges Av	Chatham Borough	743: Smoke detector activation, no fire - unintentional
6/11/2015 1:42:00 PM	20	Watchung	Chatham	321: EMS call, excluding vehicle accident with injury
6/11/2015 1:50:00 PM	1	Fire House	Chatham Borough	W: Work Detail
6/11/2015 6:22:00 PM	245	Main	Chatham	600: Good intent call, other
6/11/2015 8:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
6/12/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
6/14/2015 8:55:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
6/14/2015 12:11:00 PM		Main	Chatham Borough	323: Motor vehicle/pedestrian accident (MV Ped)
6/14/2015 7:50:00 PM	331	Main	Chatham	743: Smoke detector activation, no fire - unintentional
6/15/2015 5:43:00 AM	268	Washington Av	Chatham Borough	730: System malfunction, other
6/15/2015 8:51:00 AM	22	Red	Chatham Borough	671: HazMat release investigation w/no HazMat
6/15/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
6/16/2015 12:16:00 AM	5	Center	Chatham	743: Smoke detector activation, no fire - unintentional
6/16/2015 2:30:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
6/16/2015 8:28:00 PM	13	Watchung	Chatham	743: Smoke detector activation, no fire - unintentional
6/17/2015 10:20:00 AM	39	Edgehill Av	Chatham Borough	745: Alarm system activation, no fire - unintentional
6/17/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
6/18/2015 7:51:00 AM		Main	Chatham Borough	463: Vehicle accident, general cleanup
6/18/2015 4:23:00 PM	26	Edgewood	Chatham Borough	743: Smoke detector activation, no fire - unintentional
6/18/2015 10:23:00 PM	49	Van Houten	Chatham Township	100: Fire, other
6/19/2015 10:50:00 PM	45	Red	Chatham Borough	671: HazMat release investigation w/no HazMat

Chatham Office of Code Enforcement  
Activity  
This year: 01/01/2015 to 12/31/2015  
Printed: 02/24/2016 Page: 6

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
6/20/2015 8:50:00 AM	237	Main	Chatham	735: Alarm system sounded due to malfunction
6/20/2015 2:04:00 PM	33	Orchard	Chatham Borough	735: Alarm system sounded due to malfunction
6/20/2015 4:54:00 PM	226	Longhill	Chatham Township	746: Carbon monoxide detector activation, no CO
6/21/2015 2:20:00 AM	223	Passaic	Chatham	731: Sprinkler activation due to malfunction
6/21/2015 8:59:00 PM	480	Main	Chatham	735: Alarm system sounded due to malfunction
6/22/2015 12:43:00 AM	4	Sussex Av	Chatham Borough	733: Smoke detector activation due to malfunction
6/22/2015 6:00:00 PM	1	Fire House	Chatham Borough	D: Drill
6/22/2015 11:47:00 PM	338	Main	Chatham Borough	735: Alarm system sounded due to malfunction
6/23/2015 7:02:00 PM	480	Main	Chatham	735: Alarm system sounded due to malfunction
6/23/2015 7:45:00 PM	3	Rowan	Chatham Borough	743: Smoke detector activation, no fire - unintentional
6/24/2015 4:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
6/24/2015 6:30:00 PM	1	Fire House	Chatham Borough	E: Driver Training
6/24/2015 7:02:00 PM	480	Main	Chatham	735: Alarm system sounded due to malfunction
6/25/2015 3:59:00 PM	214	Main	Chatham	743: Smoke detector activation, no fire - unintentional
6/25/2015 5:04:00 PM	33	Cherry	Chatham Borough	671: HazMat release investigation w/no HazMat
6/26/2015 12:38:00 PM		Watchung Av	Chatham Borough	322: Motor vehicle accident with injuries
6/26/2015 12:49:00 PM		Fairmount	Chatham Borough	322: Motor vehicle accident with injuries
6/26/2015 10:45:00 PM	25	Edgehill Av	Chatham Borough	542: Animal rescue
6/28/2015 8:50:00 AM	1	Fire House	Chatham Borough	R: Rig Check
6/29/2015 9:19:00 AM	14	Dellwood Av	Chatham Borough	743: Smoke detector activation, no fire - unintentional
6/29/2015 7:00:00 PM	1	Fire House	Chatham Borough	M: Meeting
6/30/2015 7:00:00 PM	1	Fire House	Chatham Borough	W: Work Detail
7/2/2015 6:20:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
7/2/2015 8:20:00 PM	109	Terrace	Chatham Township	113: Cooking fire, confined to container
7/4/2015 5:00:00 AM	1	Fire House	Chatham Borough	W: Work Detail
7/4/2015 9:00:00 AM	1	Fire House	Chatham Borough	F: Fire Duty
7/4/2015 6:00:00 PM	1	Fire House	Chatham Borough	F: Fire Duty
7/5/2015 9:00:00 AM	1	Fire House	Chatham Borough	W: Work Detail
7/6/2015 11:52:00 AM	214	Washington Av	Chatham Borough	743: Smoke detector activation, no fire - unintentional
7/6/2015 7:00:00 PM	1	Fire House	Chatham Borough	W: Work Detail
7/6/2015 8:00:00 PM	1	Fire House	Chatham Borough	M: Meeting
7/7/2015 8:58:00 AM	460	Main	Chatham	700: False alarm or false call, other
7/7/2015 9:13:00 PM	560	Main	Chatham	740: Unintentional transmission of alarm, other
7/8/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
7/9/2015 5:20:00 PM		Weston Av	Chatham Borough	322: Motor vehicle accident with injuries
7/9/2015 6:25:00 PM	6/0	Route 24	Chatham Borough	550: Public service assistance, other
7/9/2015 8:34:00 PM	10	Passaic	Chatham	412: Gas leak (natural gas or LPG)
7/10/2015 3:04:00 PM	446	Main	Chatham Borough	743: Smoke detector activation, no fire - unintentional
7/12/2015 10:04:00 AM	4	Mercer Av	Chatham Borough	671: HazMat release investigation w/no HazMat
7/13/2015 9:03:00 AM	17	Woodland	Chatham Borough	671: HazMat release investigation w/no HazMat
7/13/2015 10:04:00 AM	169	Main	Chatham	142M: Mulch Fire
7/13/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
7/15/2015 7:00:00 PM	1	Fire House	Chatham Borough	W: Work Detail
7/16/2015 5:00:00 PM		Hamilton	Berkley Heights	F: Fire Duty
7/16/2015 7:07:00 PM	43	Princeton	Chatham Borough	651: Smoke scare, odor of smoke
7/19/2015 9:00:00 AM	1	Fire House	Chatham Borough	W: Work Detail
7/19/2015 8:26:00 PM	88	Woodland	Chatham Borough	651: Smoke scare, odor of smoke
7/19/2015 11:57:00 PM	20	Oak	Chatham Borough	746: Carbon monoxide detector activation, no CO
7/20/2015 8:42:00 AM	34	River	Chatham	743: Smoke detector activation, no fire - unintentional
7/20/2015 9:52:00 AM	44	Fuller Av	Chatham Borough	730: System malfunction, other
7/20/2015 7:00:00 PM	1	Fire House	Chatham Borough	D: Drill
7/20/2015 7:15:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
7/22/2015 12:11:00 PM	35	North Summit Av	Chatham Borough	745: Alarm system activation, no fire - unintentional
7/22/2015 7:00:00 PM	1	Fire House	Chatham Borough	W: Work Detail
7/23/2015 5:15:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)

Chatham Office of Code Enforcement  
Activity  
This year: 01/01/2015 to 12/31/2015  
Printed: 02/24/2016 Page: 7

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
7/24/2015 4:46:00 PM		Watchung Av	Chatham Borough	131: Passenger vehicle fire
7/24/2015 8:48:00 PM	88	North Passaic Av	Chatham Borough	445: Arcing, shorted electrical equipment
7/26/2015 2:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
7/26/2015 2:18:00 PM	18	School	Chatham Township	743: Smoke detector activation, no fire - unintentional
7/27/2015 10:32:00 PM	89	Lafayette Av	Chatham Borough	736: CO detector activation due to malfunction
7/28/2015 9:38:00 AM		River	Chatham Borough	463: Vehicle accident, general cleanup
7/29/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
7/30/2015 10:36:00 PM	225	Washington Av	Chatham Borough	733: Smoke detector activation due to malfunction
7/31/2015 1:20:00 AM	253	Main	Chatham	412: Gas leak (natural gas or LPG)
8/1/2015 8:45:00 AM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
8/1/2015 2:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
8/3/2015 7:30:00 PM	1	Fire House	Chatham Borough	M: Meeting
8/3/2015 8:00:00 PM	1	Fire House	Chatham Borough	M: Meeting
8/4/2015 3:43:00 AM	648	Fairmount Av	Chatham Township	814: Lightning strike (no fire)
8/4/2015 11:20:00 AM	5	Center	Chatham	743: Smoke detector activation, no fire - unintentional
8/5/2015 4:25:00 PM	85	Washington	Chatham	714: Central station, malicious false alarm
8/5/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
8/5/2015 9:57:00 PM	585	Main	Chatham	745: Alarm system activation, no fire - unintentional
8/5/2015 10:17:00 PM	575	Main	Chatham	500: Service Call, other
8/6/2015 2:09:00 PM	500	Main	Chatham	733: Smoke detector activation due to malfunction
8/6/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
8/7/2015 9:44:00 AM	6	2nd	Chatham Borough	162: Outside equipment fire
8/10/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
8/10/2015 7:00:00 PM	1	Fire House	Chatham Borough	E: Driver Training
8/11/2015 6:54:00 AM	245	Main	Chatham	735: Alarm system sounded due to malfunction
8/11/2015 6:30:00 PM	500	West Hanover	Parsippany	O: Other (not NFIRS)
8/11/2015 10:19:00 PM	480	Main	Chatham	551: Assist police or other governmental agency
8/12/2015 7:46:00 AM	241	Washington Av	Chatham Borough	744: Detector activation, no fire - unintentional
8/12/2015 1:34:00 PM	575	Main	Chatham	736: CO detector activation due to malfunction
8/12/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
8/13/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
8/14/2015 4:15:00 PM	222	Passaic	Chatham	322: Motor vehicle accident with injuries
8/14/2015 6:19:00 PM	73	Hillside Av	Chatham Borough	322: Motor vehicle accident with injuries
8/14/2015 7:00:00 PM	1	Fire House	Chatham Borough	O: Other (not NFIRS)
8/15/2015 7:05:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/15/2015 3:15:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/15/2015 3:30:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/16/2015 3:29:00 PM		Rt 24	Hanover Twp	411: Gasoline or other flammable liquid spill
8/17/2015 2:43:00 PM		Weston Av	Chatham Borough	322: Motor vehicle accident with injuries
8/17/2015 7:00:00 PM	1	Firehouse	Chatham Borough	D: Drill
8/17/2015 7:07:00 PM	9	Woods	Chatham Borough	671: HazMat release investigation w/no HazMat
8/18/2015 6:30:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/18/2015 7:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/18/2015 7:00:00 PM	1	Firehouse	Chatham Borough	D: Drill
8/20/2015 10:52:00 AM	32	Oliver	Chatham Borough	743: Smoke detector activation, no fire - unintentional
8/20/2015 2:31:00 PM	59	Rowan	Chatham Borough	445: Arcing, shorted electrical equipment
8/20/2015 7:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/22/2015 7:15:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/22/2015 8:28:00 PM	41	Fairmount Av	Chatham Borough	745: Alarm system activation, no fire - unintentional
8/23/2015 4:01:00 AM	8	Jackson Av	Chatham Borough	733: Smoke detector activation due to malfunction
8/23/2015 6:09:00 AM	41	Fairmount	Chatham	733: Smoke detector activation due to malfunction
8/23/2015 10:24:00 AM	7	Holly	Chatham Borough	520: Water problem, other
8/24/2015 8:14:00 AM		North Passaic Av	Chatham Borough	240: Explosion (no fire), other
8/24/2015 8:33:00 AM	1	Main	Chatham	353: Removal of victim(s) from stalled elevator
8/24/2015 12:20:00 PM	21	Coleman Av. West	Chatham Borough	733: Smoke detector activation due to malfunction

Chatham Office of Code Enforcement  
Activity  
This year: 01/01/2015 to 12/31/2015  
Printed: 02/24/2016 Page: 8

Alarm Date and Time	Street Number	Street Name		
8/25/2015 8:21:00 AM	137	North Passaic Av	Chatham Borough	322: Motor vehicle accident with injuries
8/25/2015 6:30:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/25/2015 6:39:00 PM	250	Fairmount Av	Chatham Borough	622: No incident found on arrival at dispatch address
8/26/2015 7:36:00 AM	223	North Passaic Av	Chatham Borough	463: Vehicle accident, general cleanup
8/26/2015 7:00:00 PM	1	Firehouse	Chatham Borough	E: Driver Training
8/28/2015 2:28:00 AM	132	Shunpike	Madison	111: Building fire
8/28/2015 6:15:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/29/2015 7:00:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/29/2015 9:30:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
8/31/2015 10:28:00 AM	44	Meadowbrook	Chatham Borough	531: Smoke or odor removal
8/31/2015 6:00:00 PM	40	Main	Chatham	322: Motor vehicle accident with injuries
8/31/2015 9:38:00 PM	288	Hillside Av	Chatham Borough	745: Alarm system activation, no fire - unintentional
9/1/2015 6:20:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
9/2/2015 8:42:00 AM	81	Rowan	Chatham Borough	743: Smoke detector activation, no fire - unintentional
9/2/2015 11:41:00 AM	23	Roosevelt Av	Chatham Borough	733: Smoke detector activation due to malfunction
9/2/2015 6:00:00 PM	1	Firehouse	Chatham Borough	E: Driver Training
9/2/2015 7:30:00 PM	1	Firehouse	Chatham Borough	M: Meeting
9/5/2015 6:53:00 AM	34	River	Chatham	733: Smoke detector activation due to malfunction
9/5/2015 2:30:00 PM	1	Firehouse	Chatham Borough	F: Fire Duty
9/7/2015 3:24:00 PM	130	Weston Av	Chatham Borough	600: Good intent call, other
9/8/2015 6:30:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
9/8/2015 7:39:00 AM	480	Main	Chatham	671: HazMat release investigation w/no HazMat
9/8/2015 6:44:00 PM	10	Highland Av	Chatham Borough	735: Alarm system sounded due to malfunction
9/8/2015 7:10:00 PM	1	Firehouse	Chatham Borough	M: Meeting
9/8/2015 8:00:00 PM	1	Firehouse	Chatham Borough	M: Meeting
9/9/2015 7:00:00 PM	1	Firehouse	Chatham Borough	E: Driver Training
9/10/2015 4:29:00 PM	15	University Av	Chatham Borough	600: Good intent call, other
9/10/2015 9:22:00 PM	11	Inwood	Chatham Borough	733: Smoke detector activation due to malfunction
9/11/2015 6:45:00 PM	1	Firehouse	Chatham Borough	S: Special Assignment
9/12/2015 4:41:00 PM	446	Main	Chatham	735: Alarm system sounded due to malfunction
9/13/2015 9:00:00 AM	1	Firehouse	Chatham Borough	W: Work Detail
9/13/2015 1:43:00 PM	446	Main	Chatham	735: Alarm system sounded due to malfunction
9/14/2015 12:03:00 AM	11	Inwood	Chatham Borough	736: CO detector activation due to malfunction
9/14/2015 7:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
9/15/2015 10:41:00 AM	223	Passaic	Chatham	743: Smoke detector activation, no fire - unintentional
9/15/2015 5:19:00 PM		Washington Av	Chatham Borough	322: Motor vehicle accident with injuries
9/16/2015 3:55:00 PM	449	Main	Chatham	650: Steam, other gas mistaken for smoke, other
9/17/2015 9:40:00 PM	324	Vally	Long Hill Township	111: Building fire
9/18/2015 10:43:00 AM	6	Cypress	Chatham Township	651: Smoke scare, odor of smoke
9/18/2015 11:13:00 PM	128	Westminister	Chatham Township	561: Unauthorized burning
9/19/2015 5:06:00 AM	192	Southern	Chatham Borough	743: Smoke detector activation, no fire - unintentional
9/19/2015 10:19:00 PM		Lafayette Av	Chatham Borough	322: Motor vehicle accident with injuries
9/20/2015 1:43:00 PM	6.5	Rt 24 West	Chatham Borough	322: Motor vehicle accident with injuries
9/21/2015 6:41:00 PM	10	Highland Av	Chatham Borough	735: Alarm system sounded due to malfunction
9/21/2015 7:00:00 PM	1	Firehouse	Chatham Borough	D: Drill
9/22/2015 9:03:00 AM	21	Coleman Av	Chatham Borough	743: Smoke detector activation, no fire - unintentional
9/24/2015 3:32:00 PM	12	Commerce	Chatham	743: Smoke detector activation, no fire - unintentional
9/24/2015 6:45:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
9/26/2015 11:00:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
9/26/2015 11:05:00 AM	59	Rowan	Chatham Borough	743: Smoke detector activation, no fire - unintentional
9/26/2015 6:46:00 PM	6/1	Rt 24	Chatham Borough	600: Good intent call, other
9/27/2015 11:00:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
9/30/2015 5:59:00 AM		North Passaic Av	Chatham Borough	412: Gas leak (natural gas or LPG)
10/1/2015 6:12:00 AM	392	River	Chatham Borough	600: Good intent call, other
10/1/2015 8:27:00 AM	584	Main	Chatham Borough	322: Motor vehicle accident with injuries

Chatham Office of Code Enforcement  
Activity  
This year: 01/01/2015 to 12/31/2015  
Printed: 02/24/2016 Page: 9

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
10/1/2015 11:19:00 AM	141	Center	Chatham Borough	600: Good intent call, other
10/1/2015 1:58:00 PM	338	Main	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
10/1/2015 4:03:00 PM	338	Main	Chatham Borough	745: Alarm system activation, no fire - unintentional
10/3/2015 9:50:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
10/4/2015 9:00:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
10/4/2015 2:20:00 PM	13	Garden	Chatham Borough	150: Outside rubbish fire, other
10/4/2015 4:30:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/5/2015 9:00:00 AM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/5/2015 1:30:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/5/2015 3:30:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/5/2015 7:00:00 PM	1	Firehouse	Chatham Borough	W: Work Detail
10/5/2015 8:00:00 PM	1	Firehouse	Chatham Borough	M: Meeting
10/6/2015 9:00:00 AM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/6/2015 1:00:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/6/2015 3:00:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/7/2015 9:00:00 AM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/7/2015 1:00:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/7/2015 3:45:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/7/2015 7:00:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/8/2015 9:00:00 AM	1	Firehouse	Chatham Borough	E: Driver Training
10/9/2015 8:45:00 AM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/9/2015 6:16:00 PM	146	Main	Chatham	G: Fire Prevention
10/9/2015 9:10:00 PM	24	Cherry	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
10/10/2015 2:07:00 AM	64	North Summit Av	Chatham Borough	100: Fire, other
10/10/2015 9:00:00 AM	1	Firehouse	Chatham Borough	746: Carbon monoxide detector activation, no CO
10/10/2015 2:00:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/11/2015 5:16:00 AM	33	Hillside Av	Chatham Borough	O: Other (not NFIRS)
10/11/2015 9:30:00 AM	1	Firehouse	Chatham Borough	733: Smoke detector activation due to malfunction
10/12/2015 1:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
10/12/2015 7:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
10/12/2015 7:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
10/13/2015 4:35:00 PM	6/5	Rt 24 (West)	Chatham Borough	O: Other (not NFIRS)
10/13/2015 5:12:00 PM	1108	Morris	Summit	322: Motor vehicle accident with injuries
10/14/2015 12:19:00 P...	460	Main	Chatham	352: Extrication of victim(s) from vehicle
10/14/2015 12:45:00 P...	1	Firehouse	Chatham Borough	322: Motor vehicle accident with injuries
10/15/2015 8:53:00 AM	32	Coleman Av	Chatham Borough	G: Fire Prevention
10/15/2015 11:28:00 A...		Dwyer	Chatham Borough	600: Good intent call, other
10/15/2015 1:13:00 PM	30	Coleman Av	Morris Township	400: Hazardous condition, other
10/15/2015 6:35:00 PM		Watchung	Chatham Borough	412: Gas leak (natural gas or LPG)
10/16/2015 10:05:00 P... 7/0		Route 24 (East)	Chatham Borough	600: Good intent call, other
10/18/2015 1:52:00 AM	22	Edgewood	Chatham Borough	322: Motor vehicle accident with injuries
10/18/2015 8:30:00 AM		Hamilton	Chatham Borough	520: Water problem, other
10/18/2015 10:50:00 A... 1		Firehouse	Berkley Heights	W: Work Detail
10/19/2015 7:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
10/21/2015 9:00:00 AM	1	Firehouse	Chatham Borough	D: Drill
10/21/2015 4:30:00 PM	1	Firehouse	Chatham Borough	G: Fire Prevention
10/21/2015 5:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
10/22/2015 10:26:00 A... 14		Fairmount	Chatham Borough	O: Other (not NFIRS)
10/23/2015 9:12:00 AM	14	Fairmount	Chatham	730: System malfunction, other
10/23/2015 12:29:00 P...		Fairmount	Chatham	743: Smoke detector activation, no fire - unintentiona
10/23/2015 12:49:00 P... 165		Center	Chatham Township	142: Brush or brush-and-grass mixture fire
10/23/2015 6:00:00 PM	1	Firehouse	Chatham Borough	111: Building fire
10/25/2015 10:20:00 A... 23		Tallmadge Av	Chatham Borough	D: Drill
10/25/2015 10:32:00 A... 40		Watchung	Chatham Borough	500: Service Call, other
10/26/2015 5:59:00 PM	64	Fairmount Av	Chatham	743: Smoke detector activation, no fire - unintentiona
			Chatham Borough	743: Smoke detector activation, no fire - unintentiona

Chatham Office of Code Enforcement  
Activity  
This year: 01/01/2015 to 12/31/2015  
Printed: 02/24/2016 Page: 10

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
10/26/2015 7:30:00 PM	1	Firehouse	Chatham Borough	M: Meeting
10/27/2015 10:23:00 A...	257	Main	Chatham	671: HazMat release investigation w/no HazMat
10/27/2015 6:33:00 PM	3	Watchung	Chatham	600: Good intent call, other
10/28/2015 6:55:00 AM	480	Main	Chatham	412: Gas leak (natural gas or LPG)
10/30/2015 8:30:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
11/2/2015 8:00:00 PM	1	Firehouse	Chatham Borough	M: Meeting
11/4/2015 7:00:00 PM	1	Firehouse	Chatham Borough	F: Fire Duty
11/5/2015 11:00:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
11/6/2015 4:43:00 PM	16	Milton	Chatham	142M: Mulch Fire
11/7/2015 8:30:00 AM	480	Main	Chatham	735: Alarm system sounded due to malfunction
11/9/2015 7:00:00 PM	1	Firehouse	Chatham Borough	D: Drill
11/11/2015 7:36:00 AM	1	Main	Chatham	555: Defective elevator, no occupants
11/11/2015 7:00:00 PM	1	Firehouse	Chatham Borough	E: Driver Training
11/12/2015 11:24:00 P...		Chatham	Chatham Borough	463: Vehicle accident, general cleanup
11/13/2015 12:00:00 P...	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
11/14/2015 8:30:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
11/15/2015 6:34:00 AM	380	Main	Chatham	440: Electrical wiring/equipment problem, other
11/15/2015 11:55:00 A...	1	Firehouse	Chatham Borough	D: Drill
11/16/2015 5:30:00 PM	1	Firehouse	Chatham Borough	F: Fire Duty
11/16/2015 7:00:00 PM	1	Firehouse	Chatham Borough	D: Drill
11/18/2015 8:20:00 AM	58	Fuller Av	Chatham Borough	412: Gas leak (natural gas or LPG)
11/18/2015 7:00:00 PM	1	Firehouse	Chatham Borough	E: Driver Training
11/18/2015 7:14:00 PM	540	Main	Chatham	736: CO detector activation due to malfunction
11/20/2015 12:00:00 P...	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
11/21/2015 5:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
11/22/2015 10:19:00 A...	480	Main	Chatham	735: Alarm system sounded due to malfunction
11/23/2015 8:00:00 PM	1	Firehouse	Chatham Borough	D: Drill
11/24/2015 5:37:00 PM	6/2	Route 24 (East)	Chatham Borough	322: Motor vehicle accident with injuries
11/24/2015 6:27:00 PM	6/0	Rt 24 (East)	Chatham Borough	322: Motor vehicle accident with injuries
11/25/2015 12:24:00 P...	79	North Passaic Av	Chatham Borough	651: Smoke scare, odor of smoke
11/25/2015 3:48:00 PM	7	Kimball	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
11/25/2015 4:17:00 PM	16	Milton	Chatham	142M: Mulch Fire
11/26/2015 7:15:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
11/28/2015 9:00:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
11/29/2015 11:39:00 A...	162	Hillside Av	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
11/29/2015 12:13:00 P...	19	Schindler	Chatham Borough	733: Smoke detector activation due to malfunction
11/30/2015 7:00:00 PM	1	Firehouse	Chatham Borough	M: Meeting
12/1/2015 6:11:00 AM	21	Coleman Av (West)	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
12/2/2015 8:24:00 AM	78	Lafayette Av	Chatham Borough	744: Detector activation, no fire - unintentional
12/2/2015 7:00:00 PM	1	Firehouse	Chatham Borough	E: Driver Training
12/2/2015 7:00:00 PM	1	Firehouse	Chatham Borough	E: Driver Training
12/3/2015 1:38:00 PM	480	Main	Chatham	730: System malfunction, other
12/3/2015 10:34:00 PM	480	Main	Chatham	730: System malfunction, other
12/4/2015 10:44:00 AM	480	Main	Chatham	730: System malfunction, other
12/5/2015 12:55:00 PM	107	Chatham	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
12/5/2015 8:31:00 PM	69	Washington Av	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
12/5/2015 10:12:00 PM	3	Watchung	Chatham	652: Steam, vapor, fog or dust thought to be smoke
12/6/2015 6:50:00 AM	30	Elmwood Av	Chatham Borough	730: System malfunction, other
12/7/2015 1:20:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
12/7/2015 8:00:00 PM	1	Firehouse	Chatham Borough	M: Meeting
12/8/2015 10:10:00 AM	22	Schindler	Chatham Borough	743: Smoke detector activation, no fire - unintentiona
12/9/2015 7:00:00 PM	1	Firehouse	Chatham Borough	W: Work Detail
12/9/2015 8:11:00 PM	19	Schindler	Chatham Borough	730: System malfunction, other
12/10/2015 5:02:00 PM	116	Coleman Av	Chatham Borough	671: HazMat release investigation w/no HazMat
12/10/2015 6:06:00 PM	3	Watchung	Chatham	652: Steam, vapor, fog or dust thought to be smoke

Chatham Office of Code Enforcement  
Activity

This year: 01/01/2015 to 12/31/2015

Printed: 02/24/2016 Page: 11

<u>Alarm Date and Time</u>	<u>Street Number</u>	<u>Street Name</u>		
12/11/2015 7:58:00 AM	174	Center	Chatham Borough	746: Carbon monoxide detector activation, no CO
12/12/2015 2:15:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
12/13/2015 11:00:00 A...	1	Firehouse	Chatham Borough	R: Rig Check
12/13/2015 11:00:00 A...	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
12/13/2015 12:00:00 P...	1	Firehouse	Chatham Borough	E: Driver Training
12/13/2015 4:13:00 PM		Main	Chatham Borough	451: Biological hazard, confirmed or suspected
12/14/2015 7:00:00 PM	1	Firehouse	Chatham Borough	W: Work Detail
12/16/2015 7:00:00 PM	1	Firehouse	Chatham Borough	W: Work Detail
12/17/2015 7:34:00 AM		Fairmount	Chatham Borough	671: HazMat release investigation w/no HazMat
12/17/2015 7:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
12/18/2015 7:20:00 AM	1	Firehouse	Chatham Borough	F: Fire Duty
12/18/2015 1:32:00 PM	63	Main	Chatham	743: Smoke detector activation, no fire - unintentional
12/18/2015 5:01:00 PM	130	Center	Chatham Borough	410: Combustible/flammable gas/liquid condition, oth
12/20/2015 11:00:00 A...	1	Firehouse	Chatham Borough	R: Rig Check
12/20/2015 1:00:00 PM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
12/21/2015 10:00:00 A...	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
12/21/2015 6:33:00 PM	131	Chatham	Chatham Borough	112: Fires in structure other than in a building
12/21/2015 8:32:00 PM	42	Tallmadge Av	Chatham Borough	600: Good intent call, other
12/22/2015 7:07:00 PM	188	North Passaic Av	Chatham Borough	600: Good intent call, other
12/24/2015 1:55:00 AM	33	Lafayette	Chatham	733: Smoke detector activation due to malfunction
12/24/2015 3:50:00 PM	253	Main	Chatham	745: Alarm system activation, no fire - unintentional
12/26/2015 7:44:00 PM	119	Coleman Av	Chatham Borough	412: Gas leak (natural gas or LPG)
12/29/2015 9:58:00 AM	28	Oliver	Chatham Borough	745: Alarm system activation, no fire - unintentional
12/29/2015 11:00:00 A...	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
12/30/2015 9:45:00 AM	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
12/30/2015 11:00:00 A...	1	Firehouse	Chatham Borough	O: Other (not NFIRS)
12/30/2015 7:00:00 PM	1	Firehouse	Chatham Borough	E: Driver Training



Chatham Fire Department  
Year End Platoon Report 2015

Personnel ID	Personnel Name	Target	All NFIRS Attended	NFIRS Att'd 0700-1859	Total AM	NFIRS Att'd 1900-0659	Total PM	NFIRS Att'd All
146	George Conlan	311	0	N/A	0	N/A	0	0%
158	John Conlan	311	0	N/A	0	N/A	0	0%
163	Joseph Marts	311	117	75.21%	88	24.79%	29	37.62%
164	Daniel Smith	311	1	100%	1	0%	0	0.32%
168	Dayton Parcels	311	6	50%	3	50%	3	1.93%
170	Herbert Cannon	311	1	100%	1	0%	0	0.32%
184	Donald Tracy	311	1	100%	1	0%	0	0.32%
199	Gregory Henrich	311	90	84.44%	76	15.56%	14	28.94%
206	Charles Salin	311	20	95%	19	5%	1	6.43%
216	James Kling	311	0	N/A	0	N/A	0	0%
222	Donald Kidd	311	26	92.31%	24	7.69%	2	8.36%
224	George Traver	311	59	72.88%	43	27.12%	16	18.97%
225	Kevin Kidd	311	0	N/A	0	N/A	0	0%
228	John Duane	311	2	100%	2	0%	0	0.64%
230	Peter Glogolich	311	236	69.92%	165	30.08%	71	75.88%
232	Stephen Williams	311	99	96.97%	96	3.03%	3	31.83%
236	Samuel Sealy	311	25	100%	25	0%	0	8.04%
238	Douglas Allan	311	265	72.45%	192	27.55%	73	85.21%
243	John Baldwin	311	1	100%	1	0%	0	0.32%
245	Paul Carroll	311	16	75%	12	25%	4	5.14%
247	William Weichert	311	2	100%	2	0%	0	0.64%
252	Bernard Conlan	311	127	82.68%	105	17.32%	22	40.84%
253	George Sweetin	311	177	68.36%	121	31.64%	56	56.91%
254	Hugh Ames	311	21	71.43%	15	28.57%	6	6.75%
258	Robert Sweetin	311	3	66.67%	2	33.33%	1	0.96%
260	Peter Helmrich	311	9	88.89%	8	11.11%	1	2.89%
261	Dan Casey	311	3	100%	3	0%	0	0.96%
263	Steven Smiley	311	7	85.71%	6	14.29%	1	2.25%
266	Daniel Smith, Jr.	311	88	64.77%	57	35.23%	31	28.30%
272	Jeffrey Fricke	311	54	46.30%	25	53.70%	29	17.36%
273	Phillip Sallnardi	311	0	N/A	0	N/A	0	0%
274	James Favata	311	23	91.30%	21	8.70%	2	7.40%
275	Kevin Weichert	311	23	56.52%	13	43.48%	10	7.40%
276	Peter Conner	311	46	36.96%	17	63.04%	29	14.79%
281	George Traver	311	87	65.52%	57	34.48%	30	27.97%
283	Joseph Granato	311	0	N/A	0	N/A	0	0%
284	Ian Horowitz	311	25	68%	17	32%	8	8.04%
286	Donald Almgren	311	120	47.50%	57	52.50%	63	38.59%
287	George Sweetin	311	0	N/A	0	N/A	0	0%
289	David Allan	311	91	71.43%	65	28.57%	26	29.26%
290	Gregory Sweetin	311	4	50%	2	50%	2	1.29%

Chatham Fire Department  
Year End Platoon Report 2015

Personnel ID	Personnel Name	Target	All NFIRS Attended	NFIRS Att'd 0700-1859	Total AM	NFIRS Att'd 1900-0659	Total PM	NFIRS Att'd All
291	Brent de St. Paer	311	6	66.67%	4	33.33%	2	1.93%
292	Daniel McGookin	311	23	82.61%	19	17.39%	4	7.40%
295	Timothy Weichert	311	36	58.33%	21	41.67%	15	11.58%
296	Tim Cagliano	311	175	71.43%	125	28.57%	50	56.27%
300	Richard Morrison	311	128	71.88%	92	28.13%	36	41.16%
301	Mark Shadak	311	5	60%	3	40%	2	1.61%
302	Alexander Sweetin	311	21	57.14%	12	42.86%	9	6.75%
303	Cory Duren	311	12	75%	9	25%	3	3.86%
304	Travis Prost	311	6	50%	3	50%	3	1.93%
305	Jackie Novak	311	1	0%	0	100%	1	0.32%
306	Ryan Berlin	311	5	40%	2	60%	3	1.61%
802	Timothy Carey	311	68	55.88%	38	44.12%	30	21.86%
803	Matthew Pridham	311	140	60%	84	40%	56	45.02%
JR001	Daniel Flynn	311	1	100%	1	0%	0	0.32%